



With choices between mechanical and electrical gauges, Auto Meter has been serving the racing world for decades. The mechanical gauges won't produce electrical drain with bronze bourdon tubes and nylon gears. The full sweep electrical gauges or air-core short sweep are microprocessor-controlled for safety and ease of use. Gauges with "around the dial" lighting come with red and green bulb covers and the "through the dial" lighting have pointers that glow from within.



## SPORT COMP GAUGES

White markings with red pointer, silver bezel and black face. Includes "around the dial" lighting.

	SIZE	TYPE	APPLICATION	
<b>AIR PRESSURE</b>				
3320	2 1/16"	Full Sweep/Mech.	Air pressure, 0-150 psi	\$49.95
<b>A/F RATIO</b>				
3375	2 1/16"	Full Sweep/Electrical	A/F Ratio, narrow	\$61.95
3378	2 1/16"	Full Sweep/Electrical	A/F Ratio, wideband	\$299.99
<b>AMMETER</b>				
3586	2 5/8"	Short sweep/Electr.	Ammeter, 60-0-60 amps	\$57.95
<b>BLOWER PRESSURE</b>				
3402	2 5/8"	Full Sweep/Mech.	Blower pressure, 0-60 psi	\$57.95
<b>BOOST PRESSURE</b>				
3304	2 1/16"	Full Sweep/Mech.	Boost pressure, 0-35 psi	\$51.95
3404	2 5/8"	Full Sweep/Mech.	Boost pressure, 0-35 psi	\$57.95
<b>BOOST/VACUUM</b>				
3376	2 1/16"	Full Sweep/Electrical	Boost/vac., 30 in.Hg/15 psi	\$189.95
3301	2 1/16"	Full Sweep/Mech.	Boost/vac., 30 in.Hg/20 psi	\$52.95
3401	2 5/8"	Full Sweep/Mech.	Boost/vac., 30 in.Hg/20 psi	\$57.95
3303	2 1/16"	Full Sweep/Mech.	Boost/vac., 30in.Hg/30 psi	\$52.95
3403	2 5/8"	Full Sweep/Mech.	Boost/vac., 30in.Hg/30 psi	\$59.95
3308	2 1/16"	Full Sweep/Mech.	Boost/vac., 30in.Hg/45 psi	\$58.95
<b>CLOCK</b>				
3585	2 5/8"	Full Sweep/Electr.	Clock	\$69.95
<b>CYLINDER HEAD TEMPERATURE</b>				
3336	2 1/16"	Short Sweep/Electr.	Cyl. head temp., 140-340°F	\$47.95
3536	2 5/8"	Short Sweep/Electr.	Cyl. head temp., 140-340°F	\$55.95
<b>DIFFERENTIAL TEMPERATURE</b>				
3349	2 1/16"	Short Sweep/Electr.	Differential temp., 100-250°F	\$45.95
<b>FUEL LEVEL</b>				
3317	2 1/16"	Short Sweep/Electr.	Fuel level, 0 empty-30 full	\$41.95
3517	2 5/8"	Short Sweep/Electr.	Fuel level, 0 empty-30 full	\$47.95
3314	2 1/16"	Short Sweep/Electr.	Fuel level, 0 empty-90 full	\$41.95
3514	2 5/8"	Short Sweep/Electr.	Fuel level, 0 empty-90 full	\$47.95
3318	2 1/16"	Short Sweep/Electr.	Fuel level, 16 empty-158 full	\$41.95
3518	2 5/8"	Short Sweep/Electr.	Fuel level, 16 empty-158 full	\$47.95
3316	2 1/16"	Short Sweep/Electr.	Fuel level, 240 empty-33 full	\$41.95
3516	2 5/8"	Short Sweep/Electr.	Fuel level, 240 empty-33 full	\$47.95
3315	2 1/16"	Short Sweep/Electr.	Fuel level, 73 empty-10 full	\$41.95
3515	2 5/8"	Short Sweep/Electr.	Fuel level, 73 empty-10 full	\$47.95
3310	2 1/16"	Full Sweep/Electr.	Fuel level, programmable	\$109.95
<b>FUEL PRESSURE</b>				
3361	2 1/16"	Full Sweep/Electr.	Fuel pressure, 0-15 psi	\$199.95
3561	2 5/8"	Full Sweep/Electr.	Fuel pressure, 0-15 psi	\$209.95

3311	2 1/16"	Full Sweep/Mech.	Fuel pressure, 0-15 psi	\$49.95
3411	2 5/8"	Full Sweep/Mech.	Fuel pressure, 0-15 psi	\$47.95
<b>FUEL PRESSURE/ISOLATOR</b>				
3313	2 1/16"	Full Sweep/Mech.	Fuel pressure/isolator, 0-15 psi	\$131.95
3413	2 5/8"	Full Sweep/Mech.	Fuel pressure/isolator, 0-15 psi	\$127.95
3363	2 1/16"	Full Sweep/Electr.	Fuel pressure, 0-100 psi	\$199.95
3563	2 5/8"	Full Sweep/Electr.	Fuel pressure, 0-100 psi	\$209.95
3312	2 1/16"	Full Sweep/Mech.	Fuel pressure, 0-100 psi	\$49.95
3412	2 5/8"	Full Sweep/Mech.	Fuel pressure, 0-100 psi	\$49.95
<b>NITROUS PRESSURE</b>				
3374	2 1/16"	Full Sweep/Electr.	Nitrous pressure, 0-1600 psi	\$209.95
3328	2 1/16"	Full Sweep/Mech.	Nitrous pressure, 0-2000 psi	\$79.95
3428	2 5/8"	Full Sweep/Mech.	Nitrous pressure, 0-2000 psi	\$79.95
<b>OIL PRESSURE</b>				
3327	2 1/16"	Short Sweep/Electr.	Oil pressure, 0-100 psi	\$61.95
3522	2 5/8"	Short Sweep/Electr.	Oil pressure, 0-100 psi	\$63.95
3321	2 1/16"	Full Sweep/Mech.	Oil pressure, 0-100 psi	\$47.95
3421	2 5/8"	Full Sweep/Mech.	Oil pressure, 0-100 psi	\$49.95
3323	2 1/16"	Full Sweep/Mech.	Oil pressure, 0-150 psi	\$49.95
3423	2 5/8"	Full Sweep/Mech.	Oil pressure, 0-150 psi	\$51.95
3322	2 1/16"	Full Sweep/Mech.	Oil pressure, 0-200 psi	\$49.95
3422	2 5/8"	Full Sweep/Mech.	Oil pressure, 0-200 psi	\$51.95
<b>OIL TEMPERATURE</b>				
3347	2 1/16"	Short Sweep/Electr.	Oil temp., 100-250°F	\$46.95
3542	2 5/8"	Short Sweep/Electr.	Oil temp., 100-250°F	\$55.95
3341	2 1/16"	Full sweep/Mech.	Oil temp., 140-280°F	\$69.95
3441	2 5/8"	Full sweep/Mech.	Oil temp., 140-280°F	\$71.75
3348	2 1/16"	Short sweep/Electr.	Oil temp., 140-300°F	\$49.95
3543	2 5/8"	Short sweep/Electr.	Oil temp., 140-300°F	\$53.95
<b>PYROMETER</b>				
3343	2 1/16"	Full sweep/Electr.	Pyrometer, 0-1600°F	\$99.95
<b>PYROMETER KIT</b>				
3344	2 1/16"	Full sweep/Electr.	Pyrometer kit, 0-1600°F	\$139.95
3544	2 5/8"	Full sweep/Electr.	Pyrometer kit, 0-1600°F	\$137.95
<b>TRANSMISSION TEMPERATURE</b>				
3357	2 1/16"	Short sweep/Electr.	Trans temp., 100-250°F	\$49.95
3552	2 5/8"	Short sweep/Electr.	Trans temp., 100-250°F	\$53.95
3351	2 1/16"	Full sweep/Mech.	Trans temp., 140-280°F	\$75.95
3451	2 5/8"	Full sweep/Mech.	Trans temp., 140-280°F	\$71.95
<b>VACUUM</b>				
3384	2 1/16"	Full sweep/Mech.	Vacuum, 30in.Hg.	\$49.95
3484	2 5/8"	Full sweep/Mech.	Vacuum, 30in.Hg.	\$49.95
<b>VOLTMETER</b>				
3391	2 1/16"	Short sweep/Electr.	Voltmeter, 8-18V	\$41.95
3592	2 5/8"	Short sweep/Electr.	Voltmeter, 8-18V	\$47.95
<b>WATER TEMPERATURE</b>				
3569	2 5/8"	Full sweep/Electr.	Water temp., 60-210°F	\$137.95
3337	2 1/16"	Short sweep/Electr.	Water temp., 100-250°F	\$46.95
3531	2 5/8"	Short sweep/Electr.	Water temp., 100-250°F	\$51.95
3332	2 1/16"	Full sweep/Mech.	Water temp., 120-240°F	\$69.95
3432	2 5/8"	Full sweep/Mech.	Water temp., 120-240°F	\$71.95
3333†	2 1/16"	Full sweep/Mech.	Water temp., 120-240°F	\$69.95
3433†	2 5/8"	Full sweep/Mech.	Water temp., 120-240°F	\$77.95
3331	2 1/16"	Full sweep/Mech.	Water temp., 140-280°F	\$67.95
3431	2 5/8"	Full sweep/Mech.	Water temp., 140-280°F	\$71.95

†Includes 12' tubing

## SPORT COMP II GAUGES

White markings with red pointer, silver bezel and black face. Includes "through the dial" LED lighting with white glowing markings on the dark face.



SIZE	TYPE	APPLICATION	
<b>A/F RATIO</b>			
3675	2 1/16"	Full Sweep/Electrical	A/F Ratio, narrow \$81.95
<b>BOOST PRESSURE</b>			
3604	2 1/16"	Full Sweep/Mech.	Boost pressure, 0-35 psi \$71.95
3605	2 1/16"	Full Sweep/Mech.	Boost pressure, 0-60 psi \$71.95
3606	2 1/16"	Full Sweep/Mech.	Boost pressure, 0-100 psi \$76.95
<b>BOOST/VACUUM</b>			
3607	2 1/16"	Full Sweep/Mech.	Boost/vac., 30 in.Hg/20 psi \$77.95
3659	2 1/16"	Full Sweep/Electrical	Boost/vac., 30in.Hg/30 psi \$199.95
3603	2 1/16"	Full Sweep/Mech.	Boost/vac., 30in.Hg/30 psi \$77.95
<b>FUEL LEVEL</b>			
3613	2 1/16"	Short Sweep/Electr.	Fuel level, 0 empty-90 full \$62.95
3616	2 1/16"	Short Sweep/Electr.	Fuel level, 240 empty-33 full \$62.95
3615	2 1/16"	Short Sweep/Electr.	Fuel level, 73 empty-10 full \$62.95
<b>FUEL PRESSURE</b>			
3663	2 1/16"	Full Sweep/Electr.	Fuel pressure, 0-100 psi \$199.95
<b>NITROUS PRESSURE</b>			
3674	2 1/16"	Full Sweep/Electr.	Nitrous pressure, 0-1600 psi \$199.95
<b>OIL PRESSURE</b>			
3653	2 1/16"	Full Sweep/Electr.	Oil pressure, 0-100 psi \$199.95
3627	2 1/16"	Short Sweep/Electr.	Oil pressure, 0-100 psi \$87.95
3621	2 1/16"	Full Sweep/Mech.	Oil pressure, 0-100 psi \$68.95
<b>OIL TEMPERATURE</b>			
3656	2 1/16"	Full sweep/Electr.	Oil temp., 140-280°F \$148.95
3648	2 1/16"	Short sweep/Electr.	Oil temp., 140-300°F \$70.95
<b>PYROMETER KIT</b>			
3644	2 1/16"	Full sweep/Electr.	Pyrometer kit, 0-1600°F \$182.95
3645	2 1/16"	Full sweep/Electr.	Pyrometer kit, 0-2000°F \$187.95
<b>TRANSMISSION TEMPERATURE</b>			
3649	2 1/16"	Short sweep/Electr.	Trans temp., 100-250°F \$71.95
<b>VOLTMETER</b>			
3692	2 1/16"	Short sweep/Electr.	Voltmeter, 8-18V \$61.95
<b>WATER TEMPERATURE</b>			
3637	2 1/16"	Short sweep/Electr.	Water temp., 100-250°F \$69.95
3655	2 1/16"	Full sweep/Electr.	Water temp., 100-260°F \$148.95
3632	2 1/16"	Full sweep/Mech.	Water temp., 120-240°F \$95.95
3631	2 1/16"	Full sweep/Mech.	Water temp., 140-280°F \$95.95

## PRO-COMP GAUGES

Liquid-filled mechanical models available for ultimate vibration damping. Featuring black face with white and yellow markings, red pointer and silver bezel. "Around the dial" lighting.



SIZE	TYPE	APPLICATION	
<b>BLOWER PRESSURE</b>			
5402*	2 5/8"	Full Sweep/Mech.	Blower pressure, 0-60 psi \$67.95
<b>BOOST PRESSURE</b>			
5404*	2 5/8"	Full Sweep/Mech.	Boost pressure, 0-35 psi \$67.95

SIZE	TYPE	APPLICATION	
<b>BOOST/VACUUM</b>			
5401*	2 5/8"	Full Sweep/Mech.	Boost/vac., 30 in.Hg/20 psi \$67.95
<b>CYLINDER HEAD TEMPERATURE</b>			
4485	2 5/8"	Short Sweep/Electr.	Cyl. head temp., 140-340°F \$76.95
<b>FUEL LEVEL</b>			
5415	2 5/8"	Short Sweep/Electr.	Fuel level, 0 empty-90 full \$45.95
5417	2 5/8"	Short Sweep/Electr.	Fuel level, 240 empty-33 full \$45.95
5416	2 5/8"	Short Sweep/Electr.	Fuel level, 73 empty-10 full \$45.95
<b>FUEL PRESSURE</b>			
5461	2 5/8"	Full Sweep/Electr.	Fuel pressure, 0-15 psi \$209.95
5411*	2 5/8"	Full Sweep/Mech.	Fuel pressure, 0-15 psi \$67.95
5413*	2 5/8"	Full Sweep/Mech.	Fuel pressure/isolator, 0-15 psi \$145.95
5412*	2 5/8"	Full Sweep/Mech.	Fuel pressure, 0-100 psi \$67.95
<b>OIL PRESSURE</b>			
5427	2 5/8"	Short Sweep/Electr.	Oil pressure, 0-100 psi \$63.95
5421*	2 5/8"	Full Sweep/Mech.	Oil pressure, 0-100 psi \$64.95
5422*	2 5/8"	Full Sweep/Mech.	Oil pressure, 0-200 psi \$64.95
<b>OIL TEMPERATURE</b>			
5441*	2 5/8"	Full sweep/Mech.	Oil temp., 140-280°F \$97.95
5447	2 5/8"	Short sweep/Electr.	Oil temp., 140-300°F \$57.95
<b>PRESSURE</b>			
5423*	2 5/8"	Full sweep/Mech.	Pressure 0-300 psi \$67.95
5424*	2 5/8"	Full sweep/Mech.	Pressure 0-400 psi \$69.95
<b>TRANSMISSION TEMPERATURE</b>			
5457	2 5/8"	Short sweep/Electr.	Trans temp., 100-250°F \$55.95
5451*	2 5/8"	Full sweep/Mech.	Trans temp., 140-280°F \$97.95
<b>VACUUM</b>			
5484*	2 5/8"	Full sweep/Mech.	Vacuum, 30in.Hg. \$66.95
<b>VOLTMETER</b>			
5492	2 5/8"	Short sweep/Electr.	Voltmeter, 8-18V \$49.95
<b>WATER TEMPERATURE</b>			
5437	2 5/8"	Short sweep/Electr.	Water temp., 100-250°F \$54.95
5432*	2 5/8"	Full sweep/Mech.	Water temp., 120-240°F \$97.95
5433*†	2 5/8"	Full sweep/Mech.	Water temp., 120-240°F \$97.95
5431*	2 5/8"	Full sweep/Mech.	Water temp., 140-280°F \$94.95

\*liquid-filled  
†Includes 12' tubing

## ULTRA-LITE GAUGES

Light weight aluminum design with silver face, black markings, orange pointer and silver bezel. "Around the dial" lighting.



SIZE	TYPE	APPLICATION	
<b>AIR PRESSURE</b>			
4320	2 1/16"	Full Sweep/Mech.	Air pressure, 0-150 psi \$55.95
<b>A/F RATIO</b>			
4378	2 1/16"	Full Sweep/Electrical	A/F Ratio, wideband \$299.95
<b>BLOWER PRESSURE</b>			
4402	2 5/8"	Full Sweep/Mech.	Blower pressure, 0-60 psi \$61.95
<b>BOOST PRESSURE</b>			
4304	2 1/16"	Full Sweep/Mech.	Boost pressure, 0-35 psi \$55.95
4404	2 5/8"	Full Sweep/Mech.	Boost pressure, 0-35 psi \$67.95
4305	2 1/16"	Full Sweep/Mech.	Boost pressure, 0-60 psi \$55.95
4306	2 1/16"	Full Sweep/Mech.	Boost pressure, 0-100 psi \$57.95
<b>BOOST/VACUUM</b>			
4376	2 1/16"	Full Sweep/Electrical	Boost/vac., 30 in.Hg/15 psi \$199.95
4301	2 1/16"	Full Sweep/Mech.	Boost/vac., 30 in.Hg/20 psi \$56.95

# GAUGES

4401	2 5/8"	Full Sweep/Mech.	Boost/vac., 30 in.Hg/20 psi	\$61.95
4377†	2 1/16"	Full Sweep/Electrical	Boost/vac., 30in.Hg/30 psi	\$205.95
4477†	2 5/8"	Full Sweep/Electrical	Boost/vac., 30in.Hg/30 psi	\$209.95
4303	2 1/16"	Full Sweep/Mech.	Boost/vac., 30in.Hg/30 psi	\$56.95
4403	2 5/8"	Full Sweep/Mech.	Boost/vac., 30in.Hg/30 psi	\$67.95
4308	2 1/16"	Full Sweep/Mech.	Boost/vac., 30in.Hg/45 psi	\$61.95

## BRAKE PRESSURE

4426	2 5/8"	Full Sweep/Mech.	Brake pressure, 0-2000 psi	\$83.95
------	--------	------------------	----------------------------	---------

## CLOCK

4385	2 1/16"	Full Sweep/Electr.	Clock	\$71.95
4485	2 5/8"	Full Sweep/Electr.	Clock	\$76.95

## CYLINDER HEAD TEMPERATURE

4336	2 1/16"	Short Sweep/Electr.	Cyl. head temp., 140-340°F	\$48.95
------	---------	---------------------	----------------------------	---------

## DIFFERENTIAL TEMPERATURE

4349	2 1/16"	Short Sweep/Electr.	Differential temp., 100-250°F	\$51.95
------	---------	---------------------	-------------------------------	---------

## FUEL LEVEL

4317	2 1/16"	Short Sweep/Electr.	Fuel level, 0 empty-30 full	\$43.95
4417	2 5/8"	Short Sweep/Electr.	Fuel level, 0 empty-30 full	\$53.95
4314	2 1/16"	Short Sweep/Electr.	Fuel level, 0 empty-90 full	\$43.95
4414	2 5/8"	Short Sweep/Electr.	Fuel level, 0 empty-90 full	\$53.95
4318	2 1/16"	Short Sweep/Electr.	Fuel level, 16 empty-158 full	\$44.95
4418	2 5/8"	Short Sweep/Electr.	Fuel level, 16 empty-158 full	\$53.95
4316	2 1/16"	Short Sweep/Electr.	Fuel level, 240 empty-33 full	\$43.95
4416	2 5/8"	Short Sweep/Electr.	Fuel level, 240 empty-33 full	\$53.95
4315	2 1/16"	Short Sweep/Electr.	Fuel level, 73 empty-10 full	\$43.95
4415	2 5/8"	Short Sweep/Electr.	Fuel level, 73 empty-10 full	\$53.95

## FUEL PRESSURE

4361	2 1/16"	Full Sweep/Electr.	Fuel pressure, 0-15 psi	\$209.95
4461	2 5/8"	Full Sweep/Electr.	Fuel pressure, 0-15 psi	\$209.95
4311	2 1/16"	Full Sweep/Mech.	Fuel pressure, 0-15 psi	\$51.95
4411	2 5/8"	Full Sweep/Mech.	Fuel pressure, 0-15 psi	\$53.95
4313	2 1/16"	Full Sweep/Mech.	Fuel pressure/isolator, 0-15 psi	\$131.95
4413	2 5/8"	Full Sweep/Mech.	Fuel pressure/isolator, 0-15 psi	\$139.95
4363	2 1/16"	Full Sweep/Electr.	Fuel pressure, 0-100 psi	\$207.95
4463	2 5/8"	Full Sweep/Electr.	Fuel pressure, 0-100 psi	\$209.95
4312	2 1/16"	Full Sweep/Mech.	Fuel pressure, 0-100 psi	\$51.95
4412	2 5/8"	Full Sweep/Mech.	Fuel pressure, 0-100 psi	\$53.95

## NITROUS PRESSURE

4374	2 1/16"	Full Sweep/Electr.	Nitrous pressure, 0-1600 psi	\$229.95
4474	2 5/8"	Full Sweep/Electr.	Nitrous pressure, 0-1600 psi	\$229.95
4328	2 1/16"	Full Sweep/Mech.	Nitrous pressure, 0-2000 psi	\$89.95
4428	2 5/8"	Full Sweep/Mech.	Nitrous pressure, 0-2000 psi	\$84.95

## OIL PRESSURE

4353	2 1/16"	Full Sweep/Electr.	Oil pressure, 0-100 psi	\$209.95
4453	2 5/8"	Full Sweep/Electr.	Oil pressure, 0-100 psi	\$199.95
4327	2 1/16"	Short Sweep/Electr.	Oil pressure, 0-100 psi	\$61.95
4427	2 5/8"	Short Sweep/Electr.	Oil pressure, 0-100 psi	\$71.95
4321	2 1/16"	Full Sweep/Mech.	Oil pressure, 0-100 psi	\$51.95
4421	2 5/8"	Full Sweep/Mech.	Oil pressure, 0-100 psi	\$53.95
4323	2 1/16"	Full Sweep/Mech.	Oil pressure, 0-150 psi	\$51.95
4423	2 5/8"	Full Sweep/Mech.	Oil pressure, 0-150 psi	\$53.95
4322	2 1/16"	Full Sweep/Mech.	Oil pressure, 0-200 psi	\$51.95
4422	2 5/8"	Full Sweep/Mech.	Oil pressure, 0-200 psi	\$53.95

## OIL TEMPERATURE

4347	2 1/16"	Short Sweep/Electr.	Oil temp., 100-250°F	\$51.95
4356	2 1/16"	Full sweep/Electr.	Oil temp., 100-340°F	\$161.95
4456	2 5/8"	Full sweep/Electr.	Oil temp., 100-340°F	\$159.95
4341	2 1/16"	Full sweep/Mech.	Oil temp., 140-280°F	\$71.95
4441	2 5/8"	Full sweep/Mech.	Oil temp., 140-280°F	\$81.95
4348	2 1/16"	Short sweep/Electr.	Oil temp., 140-300°F	\$51.95
4447	2 5/8"	Short sweep/Electr.	Oil temp., 140-300°F	\$61.95

<b>PRESSURE</b>				
4424	2 5/8"	Full sweep/Mech.	Pressure 0-400 psi	\$61.95

<b>PYROMETER</b>				
4343	2 1/16"	Full sweep/Electr.	Pyrometer, 0-1600°F	\$99.95

<b>PYROMETER KIT</b>				
4344	2 1/16"	Full sweep/Electr.	Pyrometer kit, 0-1600°F	\$131.95
4345	2 1/16"	Full sweep/Electr.	Pyrometer kit, 0-2000°F	\$159.95

<b>TRANS TEMPERATURE</b>				
4357	2 1/16"	Short sweep/Electr.	Trans temp., 100-250°F	\$51.95
4457	2 5/8"	Short sweep/Electr.	Trans temp., 100-250°F	\$61.95
4351	2 1/16"	Full sweep/Mech.	Trans temp., 140-280°F	\$77.95
4451	2 5/8"	Full sweep/Mech.	Trans temp., 140-280°F	\$83.95

<b>VACUUM</b>				
4384	2 1/16"	Full sweep/Mech.	Vacuum, 30in.Hg.	\$51.95
4484	2 5/8"	Full sweep/Mech.	Vacuum, 30in.Hg.	\$58.95

<b>VOLTMETER</b>				
4391	2 1/16"	Short sweep/Electr.	Voltmeter, 8-18V	\$43.95
4491	2 5/8"	Short sweep/Electr.	Voltmeter, 8-18V	\$47.95

<b>WATER TEMPERATURE</b>				
4369	2 1/16"	Full sweep/Electr.	Water temp., 60-210°F	\$159.95
4469	2 5/8"	Full sweep/Electr.	Water temp., 60-210°F	\$145.95
4337	2 1/16"	Short sweep/Electr.	Water temp., 100-250°F	\$48.95
4437	2 5/8"	Short sweep/Electr.	Water temp., 100-250°F	\$61.95
4355	2 1/16"	Full sweep/Electr.	Water temp., 100-260°F	\$159.95
4455	2 5/8"	Full sweep/Electr.	Water temp., 100-260°F	\$152.95
4332	2 1/16"	Full sweep/Mech.	Water temp., 120-240°F	\$71.95
4432	2 5/8"	Full sweep/Mech.	Water temp., 120-240°F	\$81.95
4331	2 1/16"	Full sweep/Mech.	Water temp., 140-280°F	\$67.95
4431	2 5/8"	Full sweep/Mech.	Water temp., 140-280°F	\$81.95

†Incl. peak memory & warning

## ULTRA-LITE II GAUGES

Light weight aluminum, silver face, black markings, orange pointer, silver bezel. "Through the dial" LED lighting-white/amber glowing markings on dark face.



	SIZE	TYPE	APPLICATION	
<b>A/F RATIO</b>				
4975	2 1/16"	Full Sweep/Electrical	A/F Ratio, narrow	\$73.95
<b>BOOST PRESSURE</b>				
4904	2 1/16"	Full Sweep/Mech.	Boost pressure, 0-35 psi	\$71.95
4905	2 1/16"	Full Sweep/Mech.	Boost pressure, 0-60 psi	\$71.95
4906	2 1/16"	Full Sweep/Mech.	Boost pressure, 0-100 psi	\$76.95
<b>BOOST/VACUUM</b>				
4907	2 1/16"	Full Sweep/Mech.	Boost/vac., 30 in.Hg/20 psi	\$77.95
4959	2 1/16"	Full Sweep/Electrical	Boost/vac., 30in.Hg/30 psi	\$199.95
4903	2 1/16"	Full Sweep/Mech.	Boost/vac., 30in.Hg/30 psi	\$77.95
<b>FUEL LEVEL</b>				
4913	2 1/16"	Short Sweep/Electr.	Fuel level, 0 empty-90 full	\$62.95
4916	2 1/16"	Short Sweep/Electr.	Fuel level, 240 empty-33 full	\$62.95
4915	2 1/16"	Short Sweep/Electr.	Fuel level, 73 empty-10 full	\$62.95
<b>FUEL PRESSURE</b>				
4963	2 1/16"	Full Sweep/Electr.	Fuel pressure, 0-100 psi	\$199.95
<b>NITROUS PRESSURE</b>				
4974	2 1/16"	Full Sweep/Electr.	Nitrous pressure, 0-1600 psi	\$199.95
<b>OIL PRESSURE</b>				
4953	2 1/16"	Full Sweep/Electr.	Oil pressure, 0-100 psi	\$199.95
4927	2 1/16"	Short Sweep/Electr.	Oil pressure, 0-100 psi	\$87.95
4921	2 1/16"	Full Sweep/Mech.	Oil pressure, 0-100 psi	\$68.95

OIL TEMPERATURE				
4956	2 1/16"	Full sweep/Electr.	Oil temp., 140-280°F	\$148.95
4948	2 1/16"	Short sweep/Electr.	Oil temp., 140-300°F	\$70.95
PYROMETER KIT				
4944	2 1/16"	Full sweep/Electr.	Pyrometer kit, 0-1600°F	\$182.95
4945	2 1/16"	Full sweep/Electr.	Pyrometer kit, 0-2000°F	\$187.95
TRANS TEMPERATURE				
4949	2 1/16"	Short sweep/Electr.	Trans temp., 100-250°F	\$71.95
4957	2 1/16"	Full sweep/Electr.	Trans temp., 100-260°F	\$148.95
VOLTMETER				
4992	2 1/16"	Short sweep/Electr.	Voltmeter, 8-18V	\$61.95
WATER TEMPERATURE				
4937	2 1/16"	Short sweep/Electr.	Water temp., 100-250°F	\$69.95
4955	2 1/16"	Full sweep/Electr.	Water temp., 100-260°F	\$148.95
4932	2 1/16"	Full sweep/Mech.	Water temp., 120-240°F	\$95.95
4931	2 1/16"	Full sweep/Mech.	Water temp., 140-280°F	\$85.95

## CARBON FIBER GAUGES

Carbon fiber face with white and yellow markings, silver pointer, bright anodized bezel. "Around the dial" lighting.



SIZE	TYPE	APPLICATION
AIR PRESSURE		
4720	2 1/16"	Full Sweep/Mech. Air pressure, 0-150 psi \$57.95
A/F RATIO		
4775	2 1/16"	Full Sweep/Electrical A/F Ratio, narrow \$71.95
BOOST PRESSURE		
4704	2 1/16"	Full Sweep/Mech. Boost pressure, 0-35 psi \$65.95
BOOST/VAC.		
4776	2 1/16"	Full Sweep/Electrical Boost/vac., 30 in.Hg/15 psi \$189.95
4701	2 1/16"	Full Sweep/Mech. Boost/vac., 30 in.Hg/20 psi \$67.95
4801	2 5/8"	Full Sweep/Mech. Boost/vac., 30 in.Hg/20 psi \$71.95
4777†	2 1/16"	Full Sweep/Electrical Boost/vac., 30in.Hg/30 psi \$195.95
4703	2 1/16"	Full Sweep/Mech. Boost/vac., 30in.Hg/30 psi \$67.95
4803	2 5/8"	Full Sweep/Mech. Boost/vac., 30in.Hg/30 psi \$73.95
FUEL LEVEL		
4714	2 1/16"	Short Sweep/Electr. Fuel level, 0 empty-90 full \$49.95
4814	2 5/8"	Short Sweep/Electr. Fuel level, 0 empty-90 full \$61.95
4716	2 1/16"	Short Sweep/Electr. Fuel level, 240 empty-33 full \$49.95
4816	2 5/8"	Short Sweep/Electr. Fuel level, 240 empty-33 full \$61.95
4715	2 1/16"	Short Sweep/Electr. Fuel level, 73 empty-10 full \$49.95
4815	2 5/8"	Short Sweep/Electr. Fuel level, 73 empty-10 full \$61.95
FUEL PRESSURE		
4711	2 1/16"	Full Sweep/Mech. Fuel pressure, 0-15 psi \$56.95
4811	2 5/8"	Full Sweep/Mech. Fuel pressure, 0-15 psi \$63.95
4763	2 1/16"	Full Sweep/Electr. Fuel pressure, 0-30 psi \$229.95
4712	2 1/16"	Full Sweep/Electr. Fuel pressure, 0-100 psi \$57.95
4774	2 1/16"	Full Sweep/Mech. Fuel pressure, 0-100 psi \$219.95
NITROUS PRESSURE		
4728	2 1/16"	Full Sweep/Electr. Nitrous pressure, 0-1600 psi \$97.95
4828	2 5/8"	Full Sweep/Electr. Nitrous pressure, 0-1600 psi \$97.95
OIL PRESSURE		
4727	2 1/16"	Short Sweep/Electr. Oil pressure, 0-100 psi \$71.95
4827	2 5/8"	Short Sweep/Electr. Oil pressure, 0-100 psi \$85.95
4721	2 1/16"	Full Sweep/Mech. Oil pressure, 0-100 psi \$56.95
4821	2 5/8"	Full Sweep/Mech. Oil pressure, 0-100 psi \$63.95
OIL TEMPERATURE		
4748	2 1/16"	Short sweep/Electr. Oil temp., 140-300°F \$57.95
4848	2 5/8"	Short sweep/Electr. Oil temp., 140-300°F \$71.95

PYROMETER				
4743	2 1/16"	Full sweep/Electr.	Pyrometer, 0-1600°F	\$117.95
PYROMETER KIT				
4744	2 1/16"	Full sweep/Electr.	Pyrometer kit, 0-1600°F	\$159.95
TRANSMISSION TEMPERATURE				
4757	2 1/16"	Short sweep/Electr.	Trans temp., 100-250°F	\$57.95
4851	2 5/8"	Full sweep/Mech.	Trans temp., 140-280°F	\$97.95
VACUUM				
4784	2 1/16"	Full sweep/Mech.	Vacuum, 30in.Hg.	\$57.95
VOLTMETER				
4791	2 1/16"	Short sweep/Electr.	Voltmeter, 8-18V	\$49.95
4891	2 5/8"	Short sweep/Electr.	Voltmeter, 8-18V	\$57.95
WATER TEMPERATURE				
4737	2 1/16"	Short sweep/Electr.	Water temp., 100-250°F	\$57.95
4837	2 5/8"	Short sweep/Electr.	Water temp., 100-250°F	\$71.95
4732	2 1/16"	Full sweep/Mech.	Water temp., 120-240°F	\$81.95
4832	2 5/8"	Full sweep/Mech.	Water temp., 120-240°F	\$97.95
4731	2 1/16"	Full sweep/Mech.	Water temp., 140-280°F	\$77.95
4831	2 5/8"	Full sweep/Mech.	Water temp., 140-280°F	\$97.95

†Incl. peak memory & warning

## DATA ACQUISITION GAUGES

D-PIC gives all the performance data while fitting in with your Auto Meter gauges. A standard 2 1/16" gauge size, measuring forward and lateral g-forces, 0-60 acceleration, 60-0 braking distance, quarter mile ET and speed, reaction time, horsepower to the wheels and more. Requires 1 amp inline fuse.



4380	D-PIC, Ultra-Lite Style	\$195.95
6180	D-PIC, Cobalt Style	\$205.95



*Signature  
Racing Product*



## Transmission Pressure Gauge

**\$76<sup>95</sup>**

BTE 940700

Knowing your vehicle's actual transmission pressure is critical to winning races in today's competitive field.

The BTE Racing transmission pressure gauge will help diagnose and prevent transmission and converter problems. Produced exclusively for BTE by a leading American gauge manufacturer, this unit is available in the popular 2 1/16" size and can measure up to 300 psi of tranny fluid pressure with a 12 volt lighted dial. This component is equally as important to the vehicle's drivetrain as an oil pressure gauge is to a vehicle's engine. Braided steel line kits with fittings are sold separately.

### LINE KITS

BTE 940706	6' Line Kit	\$49.95
BTE 940712	12' Line Kit	\$74.95

Have a Question?

Give Us a Call @ 800.626.1828